




3535 SMD LED



Ceramic 3535



Analogue:
Luminus SST-20

Product Part No.	PKG	Power (W)	Max forward current (mA)	Voltage (v)	CCT (K)	Luminous Intensity (lm) @1050MA	Lighting on color
GD-3535W600-1CC0-S1E5M	3535	10	3000	3.2-3.6	6000-8000	480-580	White



3535 SMD LED

Round Lighting Shade/Laser alike



Ceramic 3535



Product Part No.	PKG	Power (W)	Max forward current (mA)	Voltage (v)	CT (K)	Luminous Intensity (lm) @3000MA	Lighting on color
GD-3535W600-1CC1-S1E5YP	Laser alike 3535	10	3000	3.2-3.6	6000-8000	700-900	White



5050 SMD LED



Ceracmic 5050




Analogue :
Luminus SST-40

Product Part No.	PKG	Power (W)	Max forward current (mA)	Voltage (v)	CCT (K)	Luminous Intensity (LM) @1500MA	Lighting on color
GD-5050W600-1CC0-G3H0M	5050	15	5000	3.2-3.8	6000-8000	600-800	White

> 5050 SMD LED



Ceramic 5050





> Analogue:
CREE 5050 XHP

Product Part No.	PKG	Power (W)	Max forward current (mA)	Voltage (v)	CCT (K)	Luminous Intensity (LM) @3000MA	Lighting on color
GD-5050W600-2C2D0-S1E5M	5050	20	3000	6.0-6.6	6000-8000	1500-1700	White





5050 Round Lighting shade/ Laser alike SMD LED



Ceramic 5050

Product Part No.	PKG	Power (W)	Max forward current (mA)	Voltage (v)	CCT (K)	Luminous Intensity (LM) @3000MA	Lighting on color
GD-5050W600-1CC1-G3G2Y-V	5050	25	7000	3.2-3.8	6000-8000	950-1250	White
GD-5050W600-1CC1-G3G2Y-L	5050	35	10000	3.4-4.0	6000-8000	1100-1400	White
GD-5050W600-1CC1-G3I5Y	5050	40	13000	3.2-3.8	6000-8000	1200-1500	White

7070 SMD LED/ Round lighting shade/ Laser alike





Ceramic 7070

Product Part No.	PKG	Power (W)	Max forward current (mA)	Voltage (v)	CCT (K)	Luminous Intensity (LM) @5000MA	Lighting on color
GD-7070W600-1CC-G3L0Y	7070 Laser	50	8000	6.0-6.6	6000-8000	2800-3200	White
GD-7070W600-1CC-G3I5Y	7070 Laser	40	13000	3.2-3.8	6000-8000	1600-2000	White



10*11mm high power/round lighting shade/ laser alike



Analogue:
Luminus SBT 90

Ceramic 100*110

Product Part No.	PKG	Power (W)	Max forward current (mA)	Voltage (v)	CCT (K)	Luminous Intensity (LM) @5000MA	Lighting on color
GD-100110W600-1CC1-G3L0YP	Laser alike 10x11mm	50	8000	6.0-6.6	6000-8000	2800-3200	White